

Ram Oil Co. #1A-14 State
SW/4-SW/4 Sec 14-Twp 19N-R 26E
Apache County

M-d



LEASE NO. State 6063

820' per log

DRILLED BY ROTARY _____ x
DRILLED BY CABLE TOOL _____
PRODUCTIVE RESERVOIR _____
INITIAL PRODUCTION _____

[illegible]

ELECTRIC LOGS	PERFORATED INTERVALS	PROD. INTERVALS	SAMPLE LOG
IE, GRN			SAMPLE DESCRP. _____
			SAMPLE NO. _____
			CORE ANALYSIS _____
			DSTs _____
REMARKS _____			APP. TO PLUG <u> x </u>
			PLUGGING REP. <u> x </u>
			COMP. REPORT <u> x </u>



BOND NO. S-19969
DATE _____
ORGANIZATION REPORT x
L BOOK x PLAT BOOK x
DEDICATION None

177

Q

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well ☐ Work-Over ☐ Deepen ☐ Plug Back ☐ Same Reservoir ☐ Different Reservoir ☐ Oil ☐ Gas ☐ Dry ☐

DESCRIPTION OF WELL AND LEASE

Operator <i>RAM</i>		Address <i>330 W. Medlock Dr.; Phoenix</i>	
Federal, State or Indian Lease Number or name of lessor if fee lease <i>State 6063</i>		Well Number <i>#1A-14</i>	Field & Reservoir <i>Wildcat</i>
Location <i>SE SW</i>		County <i>Apache</i>	
Sec. TWP-Range or Block & Survey <i>Sec. 14-19N-26E</i>			
Date spudded <i>2-6-62</i>	Date total depth reached	Date completed, ready to produce <i>DEA 3-3-62</i>	Elevation (DF, RKB, RT or Gr.) <i>5776 GR. feet</i>
Total depth <i>812</i>	P.B.T.D.	Single, dual or triple completion?	If this is a dual or triple completion, furnish separate report for each completion.
Producing interval (s) for this completion <i>None (DEA)</i>		Rotary tools used (Interval) <i>0-812</i>	Cable tools used (Interval)
Was this well directionally drilled?		Was directional survey made?	Date filed
<i>No</i>		<i>—</i>	<i>—</i>
Type of electrical or other logs run (check logs filed with the commission) <i>Gamma Ray-Neutron; Elec. log.</i>			Date filed <i>3-3-62</i>

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)						
Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled

TUBING RECORD LINER RECORD

Size	Depth set	Packer set at	Size	Top	Bottom	Sacks cement	Screen (ft.)
in.	ft.	ft.	in.	ft.	ft.		

PERFORATION RECORD ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Number per ft.	Size & type	Depth Interval	Amt. & kind of material used	Depth Interval

INITIAL PRODUCTION

Date of first production		Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)					
Date of test	Hrs. tested	Choke size	Oil prod. during test	Gas prod. during test	Water prod. during test	Oil gravity	
			bbls.	MCF	bbls.	° API (Corr)	
Tubing pressure	Casing pressure	Cal'd rate of Production per 24 hrs.	Oil	Gas	Water	Gas-oil ratio	
			bbls.	MCF	bbls.		

Disposition of gas (state whether vented, used for fuel or sold):

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the *President* of the _____ (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Oct 6 1965 *L. J. Davis*
Date Signature

Permit No. *177*

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Well Completion or Recompletion Report and Well Log
Form No. 4 File One Copy

[illegible]

APPLICATION TO ABANDON AND PLUG

FIELD Wildcat Strat Test
OPERATOR Ram Oil Company ADDRESS 3518 N. 24th St. Phoenix, Ariz.
LEASE State WELL NO. 1A-14 COUNTY Apache
SURVEY -- SECTION 14 DRILLING PERMIT NO. 177
LOCATION 1290 FWL 500 ESL Section 14 19 N. 26 E.

TYPE OF WELL Strat Test TOTAL DEPTH 812
ALLOWABLE (If Assigned) Strat Test (Oil, Gas or Dry Hole)
LAST PRODUCTION TEST OIL ---- (Bbls.) WATER ---- (Bbls.)
GAS ---- (MCF) DATE OF TEST none
PRODUCING HORIZON ---- PRODUCING FROM ----- TO -----

1. COMPLETE CASING RECORD None

2. FULL DETAILS OF PROPOSED PLAN OF WORK Fresh water formations are to be
protected by circulating cement from TD to surface.

If well is to be abandoned, does proposed work conform with requirements of Rule 202? yes If not,
outline proposed procedure above.

DATE COMMENCING OPERATIONS As soon as possible.

NAME OF PERSON DOING WORK Ram Oil Company ADDRESS 3518 N. 24th St., Phoenix, Ariz.
CORRESPONDENCE SHOULD BE SENT TO Ram Oil Company

NAME Joe Barrett
TITLE Joe Barrett Geologist

Date Approved 3-22-62
D. A. Jerome

STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Application to Abandon and Plug
Form No. 15A File 2 Copies
Authorized by Order No. 4-6-59
Effective April 6, 1959

Letter from Rob M. Collier
Acting Chief
Western Mapping Center
Topographic Div.
345 Middlefield Rd.
Menlo Park, Calif. 94025
Dated: October 3, 1974

NAVAJO SPRINGS

Well	Elevations		Differ- ence	Remarks
	Photog.	Bull. 185		
✓ Eastern 21 (234) 20n-28e-31	5853	5832	-21	Well identified at end of road on photo.
OK → ✓ Western (552) 1 Fred 12h 20n-28e-30	5818 ^g	5800	-18	Bulletin 185 position would place well on opposite side of road.
✓ CREST 471 1 Smt 2 Fe Eastern 2 (547) 20n-27e-25 660 FSL-660 FEL	5821	5773 5820 <i>agrees</i>	-48	Image on photo at end of road and pipe line.

NAVAJO SOUTH

✓ Kerr-McGee 2 (39) 20n-26e-35 660 FSL-1320 FWL	± 5668*	5662 ^g	-6	Well identified at end of road.
✓ Kerr-McGee (36) 20n-26e-34 2175 FSL-1700 FEL	± 5779*	5772 ^g	-7	Well identified at end of road.
✓ Kerr-McGee (10) 20n-26e-33 330 FSL-230 FEL	± 5743*	5743 ^g <i>agrees</i>	0	Well identified at U-bend in road.
✓ Linehan (136) 20n-26e-21 330 FSL-2310 FE	± 5605*	5600 ^g	-5	1500 feet from BM.
✓ Kerr-McGee (37) 19n-26e-4 2310 FSL-1650 FEL	± 5770*	5753 ^g	-17	Well identified at end of road.
✓ Kerr-McGee 1 (167) 19n-26e-14 500 FSL-1320 FWL	± 5741*	5760	+19	Located in a small clearing 350 feet off road.
✓ Kerr-McGee 1A (177) 19n-26e-14 500 FSL-1320 FWL	Not Plotted ± 5738 ^g	5776		This point is 100 feet down slope from 167 yet elevation indicates it is higher.

* Interpolated

The "Remarks" column gives justification for our confidence in the fieldman's location of the wells.

APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK
STRATIGRAPHIC TEST

APPLICATION TO DRILL ☐ DEEPEN ☐ PLUG BACK ☐

NAME OF COMPANY OR OPERATOR

DATE

Ram Oil Company

Feb. 28, 1962

Address

City

State

3518 N. 24th St.

Phoenix

Arizona

DESCRIPTION OF WELL AND LEASE

Name of lease

Well number

Elevation (ground)

State

1-A - 14

5776

Well location

(give footage from section lines)

Section—township—range or block & survey

Section 14, T19N, R26E, 1350' FWL and 500' FSL

Field & reservoir (If wildcat, so state)

County

Wildcat

Apache

Distance, in miles, and direction from nearest town or post office

Nearest distance from proposed location
to property or lease line:

feet

Distance from proposed location to nearest drilling,
completed or applied—for well on the same lease:

feet

Proposed depth:

1,000

Rotary or cable tools

Rotary

Approx. date work will start

Feb. 6, 1962

Number of acres in lease:

640

Number of wells on lease, including this well,
completed in or drilling to this reservoir:

One

If lease, purchased with one or more
wells drilled, from whom purchased:

Name

Address

Status of bond

\$10,000 Bond in effect

Remarks: (If this is an application to deepen or plug back, briefly describe work to be done, giving present
producing zone and expected new producing zone)

**This is being drilled solely as a stratigraphic test and will be
plugged immediately upon completion.**

* Fill in Proposed Casing Program on other side

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the.....of the
.....(company), and that I am authorized by said company to make this report; and that this
report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Ram Oil Company
Carl L. Booth
Sec. - Treas.
Signature

Date

Feb 28-1962

Permit Number: *177*

Approval Date: *Feb 28 1962*

Approved By: *[Signature]*

Notice: Before sending in this form, be sure that you have given
all information requested. Much unnecessary correspond-
ence will thus be avoided.

See Instruction on Reverse Side of Form

STATE OF ARIZONA OIL & GAS
CONSERVATION COMMISSION

Application to Drill, Deepen or Plug Back


Form No. P-1

File two copies

Authorized by Order No. *4000*

Effective *March 1, 1962*

3139
(CHAM)



Operator TEX OIL COMPANY

Bond Company Southwest Casualty Insurance Co. Amount \$10,000.00

Bond No. 810000 Date Approved _____

Permits covered by this bond:

150 See file

167 _____

177 _____

178 _____

196 _____

240 _____

3-12-71

Ram oil state 1A-14
177

This well has no dry hole marker.

2" tbg is set in 4 1/2" CSG -

No sign - tbg. opened -

January 11, 1966

Southwest Casualty Insurance Company
738 E. McDowell Road
Phoenix, Arizona

Re: Your Bond 2437
Ram Oil Company, Principal

Gentlemen:

Ram Oil Company has fulfilled its obligations to this Commission for wells drilled under captioned bond.

This letter then will constitute authority from this Commission to terminate captioned bond.

Very truly yours,

John Hannister
Executive Secretary
et

cc: File 159
167
177
178
249
196

Southwest Casualty Insurance Co.
Page 2
November 4, 1965

In addition, a piece of four-inch pipe must be set in the surface plug of each well, which pipe must protrude a minimum of four feet above the surface of the earth and contain the following information welded to the pipe:

- (a) name of well
- (b) quarter-quarter location
- (c) permit number

Upon completion of these plugging programs, a Plugging Record must be filed with this Commission as evidence of the completion of the outlined programs.

As indicated in this Commission's letter of September 2, 1965 to you, the Ram Oil Company #1 Sierra Bonita well has been accepted by the Sierra Bonita Ranch as a water well, thus relieving Ram Oil Company of any further responsibility concerning this well.

We are holding any action on the Ram Oil Co. #1 State well (our File 159) pending word from a man who will let us know by December 15, 1965 whether or not he will take this well for a water well.

We are also holding action on the Ram Oil Co. #1-14 well (our File 167) pending agreement by the current oil and gas lessor to assume responsibility for this well.

We will of course inform you if any plugging action will be required on these wells.

→ The Ram Oil Company #1A-14 State well (our File 177) has been completed and all information has been filed in accordance with our Rules and Regulations. Consequently no further action is required.

The outlined plugging programs should be conducted as soon as feasibly possible. Should you have any questions concerning this action of the Commission, will you please advise. We will be glad to help you in all ways possible.

Very truly yours,

J.R. Scurlock
Petroleum Geologist
mr

SAMUEL P. GODDARD
GOVERNOR

LYNN LOCKHART
CHAIRMAN

R. KEITH WALDEN
VICE CHAIRMAN

ORME LEWIS
MEMBER

LUCIEN B. OWENS
MEMBER

GEORGE T. SILER
MEMBER



OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5161

JOHN BANNISTER
EXECUTIVE SECRETARY

J. R. SCURLOCK
PETROLEUM GEOLOGIST

November 4, 1965

Southwest Casualty Insurance Company
758 E. McDowell Road
Phoenix, Arizona

Re: Your Bond 2857

Ram Oil Co. #1-9 Hortenstine well
SW/4NE/4 9-19N-26E, Apache County, Arizona
Our File 178

Ram Oil Co. #1-5 Hortenstine well
SW/4NE/4 5-19N-26E, Apache County, Arizona
Our File 196

Gentlemen:

The captioned bond was issued to cover statewide drilling operations of the Ram Oil Company, including the captioned wells.

Inasmuch as these captioned wells have not been completed in accordance with our Rules and Regulations, we order that these wells be plugged as indicated below.

Ram Oil Co. #1-5 Hortenstine well

Our records show that this well was drilled in 1963 to a total depth of 948 feet. Four and one-half inch casing was set to 864 feet and cemented with thirty sacks.

A 50-foot cement plug should be set from 948 feet to 850 feet, or the lowest possible depth, and a 20-foot cement surface plug should be set.

Ram Oil Co. #1-9 Hortenstine well

This well was also drilled in 1963 to a total depth of 993 feet. Four and one-half inch casing was set at 932 feet with 100 sacks of cement.

This well should be plugged with a 50-foot cement plug from the bottom. A 20-foot cement plug should be set at the surface.

SAMUEL P. GODDARD
GOVERNOR

LYNN LOCKHART
CHAIRMAN

R. KEITH WALDEN
VICE CHAIRMAN

ORME LEWIS
MEMBER

LUCIEN B. OWENS
MEMBER

GEORGE T. SILER
MEMBER



OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5161

JOHN BANNISTER
EXECUTIVE SECRETARY

J. R. SCURLOCK
PETROLEUM GEOLOGIST

September 2, 1965

Southwest Casualty Insurance Company
758 E. McDowell Road
Phoenix, Arizona

Re: Your Bond 2857 in the amount of \$10,000
Principal, Ram Oil Company

Gentlemen:

As you are aware, the captioned bond has been posted with this Commission as both a penalty and performance bond.

We are enclosing a copy of a letter of this date to Mr. Maynard Davies, Ram Oil Company, concerning outstanding obligations for five wells drilled under this bond.

In addition to the five wells mentioned in the attached letter, Ram Oil Company has also drilled under this captioned bond the Ram Oil Co. #1 Sierra Bonita Fee well, located SE SE 2-11S-22E, Graham County, our Permit 249. Presently this well has been plugged back to a total depth of 500 feet and indications are that the owner of the Sierra Bonita Ranch has taken this well as a water well.

At such time as a letter indicating the intent of the rancher to accept the well as a water well and the necessary Well Completion Report has been filed with this office, obligation of Ram Oil Company and of your company as surety will terminate as to this well.

This office feels that in view of the fact there is a potential loss to your company as to the plugging requirements of at least the five wells mentioned in the attached letter, that you should be put on notice concerning Ram Oil Company's obligations.

Should you have any questions, will you please advise.

Yours very truly,

John Bannister
Executive Secretary
mr

SAMUEL P. GODDARD
GOVERNOR

LYNN LOCKHART
CHAIRMAN

R. KEITH WALDEN
VICE CHAIRMAN

ORME LEWIS
MEMBER

LUCIEN B. OWENS
MEMBER

GEORGE T. SILER
MEMBER



OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5161

JOHN BANNISTER
EXECUTIVE SECRETARY

J. R. SCURLOCK
PETROLEUM GEOLOGIST

September 2, 1965

Mr. Maynard Davies, President
Ram Oil Company
330 W. Medlock Drive
Phoenix, Arizona

Dear Mr. Davies:

We have reviewed the wells drilled by Ram Oil Company in this State and find that the situation is as follows:

Ram Oil Co. #1 State well
SE SE 29-11N-31E, Apache County
Permit 159

On January 25, 1963 we were advised that drilling operations had been temporarily suspended pending a temperature survey. Since this date no further work has been done, to our knowledge, on this well.

Apparently this well has been capped but not plugged. Consequently, at your earliest convenience, this well must be plugged in accordance with our Rules and Regulations. The necessary Application to Plug, Plugging Record, and Well Completion Report forms are enclosed for your convenience. These, together with copies of all logs taken should be filed with this office.

Ram Oil Co. #1-14 State well
SW SW 14-19N-26E, Apache County
Permit 167

There is some indication in our files that this well had an initial potential of 86MCF per day. However, no further evidence of activity on this well is in our file.

Consequently, this well should be plugged. The necessary Application to Plug, Plugging Record, Well Completion Report, together with the copies of logs, should be filed with this office.

Mr. Maynard Davies

Page 2

September 2, 1965

Ram Oil Co. #1A-14 State well
SW SW 14-19N-26E, Apache County
Permit 177

The Plugging Report has been filed on this well. However, we need the Well Completion Report and copies of any logs taken.

Ram Oil Co. #1-9 Hortenstine well
SW NE 9-19N-26E
Apache County
Permit 178

Our file indicates that this well was abandoned on December 31, 1963. Copies of logs have been filed.

We need an Application to Plug, the Plugging Record, and Well Completion Report.

Ram Oil Co. #1-5 Hortenstine well
SW NE 5-19N-26E, Apache County
Permit 196

The last report our file has on this well is a letter dated January 25, 1963, wherein it was indicated that Ram Oil Company was preparing to frac this well. We have no further indication of work on this well.

We need an Application to Plug, the Plugging Record, and the Well Completion Report. Logs have been filed.

As you are aware, our Rules and Regulations provide that when work has been suspended on a well for a period of sixty days, the well must be plugged and abandoned unless written consent has been obtained from this office. In none of the above cited cases have indications of additional work, nor requests for extension of time, been filed with this office.

Consequently, we ask that all the above requirements be met as soon as possible.

As you are aware, all of the above wells are bonded under Southwest Casualty Company's bond 2857.

If this office may assist you in this work in any way, will you please advise. Your prompt cooperation will be appreciated.

Yours very truly,

John Bannister
Executive Secretary
mr
enc

January 22, 1965

Memo: To File

Re: Ram Oil Company

Mr. Sitver, Attorney representing Kramer & Franco, CPA firm, telephoned.

Judgment had been won by Kramer & Franco for unpaid fees against Ram Oil Company. Mr. Sitver requested and was furnished well location information.

Mr. Bannister explained that the lease Ram is now drilling on is in escrow and at this time is not under their control. Mr. Bannister also advised of the lien filed in Safegord against casing.

Mr. Sitver will keep this office informed of any action taken.

177

PAUL FANNIN
GOVERNOR

LYNN LOCKHART
CHAIRMAN

CHARLES KALIL, M.D.
MEMBER

ORME LEWIS
MEMBER

LUCIEN B. OWENS
MEMBER



OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202
1024 WEST ADAMS
Phoenix, Arizona 85007
PHONE: 277-8181

JOHN BANNISTER
EXECUTIVE SECRETARY

August 28, 1964

Mr. Maynard J. Davies
Managing Director
Ram Oil Company
330 West Medlock Drive
Phoenix, Arizona

RE: File No.'s 159, 167, 177, 178, 196 and 249

Dear Mr. Davies:

As mentioned in our telephone conversation of August 27, 1964, I have reviewed the files of the above referenced permits issued to the Ram Oil Company. Listed below please find the information that these files now show and a brief summary of what forms are required to put Ram Oil Company on a current and operating status.

File #159 Ram Oil Company State #1
 Sec. 29 Twp. 11N R. 31E
 Apache, County

This file contains no information other than the original date of issue of the permit. Form #25, Sundry Notice, is required.

File #167 Ram Oil Company State #1-14
 Sec. 14 Twp. 19N R. 26E
 Apache, County

File indicates that this well is a shut-in gas well awaiting pipeline connections. Form #25, Sundry Notice is required.

File #177 Ram Oil Company State #1A-14
 Stratigraphic Test
 Sec. 14 Twp. 19N R. 26E
 Apache, County

(Cont'd)

177

(Page 2, Continued)

This file indicates that this test has been plugged and abandoned. Form #4, Completion Report is required.

File #178 Ram Oil Company Hortenstine #1-9
Sec. 9 Twp. 19N R. 26E
Apache, County

This file indicates that we have no information other than the original issuance date for the permit. Form #25, Sundry Notice is required.

File #186 Ram Oil Company Hortenstine #1-5
Sec. 5 Twp. 19N R. 26E
Apache, County

This file contains no information other than the original date of the issuance of the permit. Form #25, Sundry Notice is required.

File #249 Ram Oil Company Sierra Bonita Fee #1
Sec. 2 Twp. 11S R. 22E
Graham, County

A sixty (60) day shut down extension was granted on this well on July 23, 1964.

I hope that this information brings you up to date and if I may be of further assistance to you, will you please advise.

Very truly yours,

Bill Cooper
Records Section

cc/Files
Enclosure

177

W. T. Myers Drilling Co.
2113 WISCONSIN ST. NE
ALBUQUERQUE, NEW MEXICO

INVOICE 3-5-62

Ram Oil Company
3518 N 24th St.
Phoenix, Arizona

22 Hrs. Welding	@ \$5.00	\$110.00	
1 Failing single sheave traveling block (USED)		\$ 40.00	
1 4 1/4" Retip rock bit		\$ 12.00	
15 Sks. drilling mud	@ \$2.30 plus \$1.10 freight	\$ 51.00	
2 core catchers	@ \$5.00	\$ 10.00	
1 inner barrel shoe	@ \$10.00	\$ 10.00	
1 Insert core bit	@ \$70.00	\$ 70.00	
1 Sk. driscose	@ \$44.25 plus \$1.10 freight	\$ 45.35	
		<u>\$348.35</u>	\$348.35

Daywork with drillpipe	@ \$17.50	16 hrs.	\$280.00	
Daywork without drillpipe	@ \$12.00	8 1/2 hrs.	\$102.00	
(standby)			<u>\$382.00</u>	\$382.00
			<u>\$730.35</u>	\$730.35

TOTAL

\$730.35

THANKS

Intangible

382
111

12
51

10

70

15.35

681.35

730.35

681.35

49.00

#177

W. T. Myers Drilling Co.
2113 WISCONSIN ST. NE
ALBUQUERQUE, NEW MEXICO

INVOICE 2-5-62

Ham Oil Company
3518 N 24th St.
Phoenix, Arizona

22 Hrs. Welding	@ \$5.00	\$110.00	
1 Pulling single sheave traveling block (USED)		\$ 40.00	
1 4 1/4" Rotary rock bit		\$ 12.00	
15 lbs. drilling mud	@ \$2.30 plus \$1.10 freight	\$ 51.00	
2 core catchers	@ \$5.00	\$ 10.00	
1 inner barrel shoe	@ \$10.00	\$ 10.00	
1 insert core bit	@ \$70.00	\$ 70.00	
1 Sh. driscoco	@ \$44.25 plus \$1.10 freight	\$ 45.35	
		<u>\$348.35</u>	\$348.35

Daywork with drillpipe	@ \$17.50	25 hrs.	\$437.50	
Daywork without drillpipe (standby)	@ \$12.00	8 1/2 hrs.	\$102.00	
			<u>\$539.50</u>	\$539.50
		TOTAL		\$8730.35

21455

177

W. T. Myers Drilling Co.
2113 WISCONSIN ST. NE
ALBUQUERQUE, NEW MEXICO

INVOICE 3-5-42

Sam Oil Company
3515 N 24th St.
Phoenix, Arizona

22 Hrs. Welding	@ \$5.00	\$110.00	
1 Pulling single above traveling block (used)		\$ 40.00	
1 4 1/2" Rotary rock bit		\$ 12.00	
13 5/8" drilling rod	@ \$2.30 plus \$1.70 freight	\$ 51.00	
2 core catchers	@ \$5.00	\$ 10.00	
1 inner barrel shoe	@ \$15.00	\$ 15.00	
2 Insert core bit	@ \$35.00	\$ 70.00	
1 5/8" driscose	@ \$44.25 plus \$1.30 freight	\$ 45.55	
		<u>\$343.25</u>	\$343.25

Daywork with drillpipe	@ \$17.50	16 hrs.	\$280.00	
Daywork without drillpipe	@ \$12.00	8 1/2 hrs.	\$102.00	
(standby)			<u>\$382.00</u>	\$382.00
		TOTAL		\$725.25

77 4713

171

DAILY DRILLING REPORT

Area..... County..... State.....

Please Note Any Unusual Material Drilled Through on Back of Log

Time Left Garage a.m. Time Left Field p.m.
Time Arrived Field a.m. Time Arrived Garage p.m.
Drag Bits Rock Bits
Mud Bran Cement
Standby Time hrs. Drilling Time hrs. Total Time hrs.
Total Footage Driller *W. J. [Signature]*

Drill No. 26 Party No. _____ Date 3-1
Area _____ County _____ State _____

Please Note Any Unusual Material Drilled Through on Back of Log

Time Left Garage.....a.m. Time Left Field.....p.m.
Time Arrived Field.....a.m. Time Arrived Garage.....p.m.
Drag Bits.....Rock Bits.....
Mud.....Bran.....Cement.....
Standby Time.....hrs. Drilling Time.....hrs. Total Time.....hrs.
Total Footage.....Driller. *Alan Jeff*

FEBRUARY 26 th, 1962

Mr. James W. Dean
Eastern Petroleum Company
2520 First Nat'l Bank Bldg
Denver 2, Colorado

Re; Arizona State Lease No
2089 N/2 NE/4, Section 14,
T19N, R26E, Apache county, A
Arizona.

Dear Mr. Dean

In answer to your letter of February 23, 1962, am enclosing
the following:

- Well location
- Two Electric Logs
- Gas analysis test

And this letter will be your authority to go to the well after
completion, for purposes of testing the producing potential should the same
be completed as a producer.

We are in the process of completion on this well at this time,
completing our drill stem tests tomorrow, and aim to frac. it the next day.

If this is all that is needed to complete the agreement between
C.T. Henderson and Eastern Petroleum Company, will appreciate the necessary
papers to complete this assignment.

Respectfully yours,

C.T. Henderson

By Larry W. Vernon President
Ram Oil Company

177

PAUL FANNIN
GOVERNOR

R. KEITH WALDEN
CHAIRMAN

LYNN LOCKHART
VICE CHAIRMAN

CHARLES KALIL, M. D.
MEMBER

ROBERT B. HEWARD
MEMBER

ORME LEWIS
MEMBER



OFFICE OF

Oil and Gas Conservation Commission
STATE OF ARIZONA

3500 N. CENTRAL - SUITE 221

Phoenix 12, Arizona

CR 9-3397 CR 9-2731

March 5, 1962

D. A. JEROME
EXECUTIVE SECRETARY

Ram Oil Company
3518 N. 24th Street
Phoenix 14, Arizona

Re: Ram Oil Co. State No. 1-A - 14 - Stratigraphic
Test in Sec. 14, T19N, R26E, Apache County

Gentlemen:

Enclosed is your approved copy of application to
drill the above described test.

Yours very truly,

D. A. JEROME, EXECUTIVE SECRETARY

Brooks Pierce
by Brooks Pierce
Petroleum Geologist

enc 1

177

APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK
STRATIGRAPHIC TEST

APPLICATION TO DRILL ☐ DEEPEN ☐ PLUG BACK ☐

NAME OF COMPANY OR OPERATOR

DATE

Ram Oil Company

Feb. 28, 1962

Address

City

State

3518 N. 24th St.

Phoenix

Arizona

DESCRIPTION OF WELL AND LEASE

Name of lease

Well number

Elevation (ground)

State

1-A - 14

5776

Well location

(give footage from section lines)

Section—township—range or block & survey

Section 14, T19N, R26E, 1350' FWL and 500' FSL

Field & reservoir (If wildcat, so state)

County

Wildcat

Apache

Distance, in miles, and direction from nearest town or post office

Nearest distance from proposed location
to property or lease line:

Distance from proposed location to nearest drilling,
completed or applied—for well on the same lease:

feet

feet

Proposed depth:

Rotary or cable tools

Approx. date work will start

1,000

Rotary

Feb. 6, 1962

Number of acres in lease:

Number of wells on lease, including this well,
completed in or drilling to this reservoir:

640

One

If lease, purchased with one or more
wells drilled, from whom purchased:

Name

Address

Status of bond

\$10,000 Bond in effect

Remarks: (If this is an application to deepen or plug back, briefly describe work to be done, giving present
producing zone and expected new producing zone)

This is being drilled solely as a stratigraphic test and will be
plugged immediately upon completion.

* Fill in Proposed Casing Program on other side

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the of the
..... (company), and that I am authorized by said company to make this report; and that this
report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date

Signature

Permit Number: 177

Approval Date: Feb 28 1962

Approved By: [Signature]

Notice: Before sending in this form be sure that you have given
all information requested. Much unnecessary correspond-
ence will thus be avoided.
See Instruction on Reverse Side of Form

STATE OF ARIZONA OIL & GAS
CONSERVATION COMMISSION

Application to Drill, Deepen or Plug Back

Form No. P-1

File two copies

Authorized by Order No.

Effective

March 5, 1962

Ram Oil Company
3518 N. 24th Street
Phoenix 14, Arizona

Re: Ram Oil Co. State No. 1-A - 14 - Stratigraphic
Test in Sec. 14, T19N, R26E, Apache County

Gentlemen:

Enclosed is your approved copy of application to
drill the above described test.

Yours very truly,

D. A. JEROME, EXECUTIVE SECRETARY

by Brooks Pierce
Petroleum Geologist

enc 1